



# MW 130

170 Watt max | 8  $\Omega$  |  $\varnothing$  130 mm / 5"



Potenza nominale	<b>70 W</b>	Re	<b>6,5 <math>\Omega</math></b>	D	<b>102 mm</b>
Impedenza nominale	<b>8 <math>\Omega</math></b>	Fs	<b>68 Hz</b>	Vas	<b>5,75 dm<sup>3</sup></b>
Sensibilità (1W/1m)	<b>88 dB</b>	Qms	<b>2</b>	Bxl	<b>7,09 Wb/m</b>
$\varnothing$ bobina mobile	<b>32 mm</b>	Qes	<b>0,47</b>	Xmax	<b>1,75 mm</b>
Altezza traferro	<b>6 mm</b>	Qts	<b>0,38</b>	$\eta_o$	<b>0,38 %</b>
Fori di fissaggio	<b>4 <math>\varnothing</math>5 / <math>\varnothing</math> 138</b>	Mms	<b>8,4 g</b>	Le	<b>0,57 mH</b>
Foro pannello	<b>112 mm</b>	Cms	<b>0,64 mm/N</b>	Peso	<b>1,4 Kg</b>



## WOOFER

Membrana in cellulosa smorzata, sospensione in gomma, magnete schermato  
Doped paper cone, rubber surround, magnetic shielding

